

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Current and Historical References – Conservation Tillage/No-till

Over the past year or so Wayne Lindwall has been building this reference list that includes nearly 400 key historical references, popular citations, texts, proceedings, reviews, etc. from the last 50 years that relate to the issue of conservation tillage. He has also tried to keep it current with related publications since the Landscapes Transformed conference that was held March 2009, in particular this list includes papers published recently about glyphosate, weed tolerance and disease implications. The list includes reference to some of the earliest (historical) scientific papers to help illustrate the amount of good science that was done (on the Prairies) long before "no-till" became fashionable in the U.S. and Canada. Interestingly, some of the recent U.S. reviews (also included in this list) make little or no reference to Canadian work.

If there is a reference you would like added to this list, please contact the KIS Project at kis.project@usask.ca

Note: Use the "Search/Find" functions in Adobe to locate references by certain authors, subjects, etc.

Last updated: March 2010

Prepared by: Wayne Lindwall

Anderson, C. H. 1968. A comparison of annual crops for seed and residue in the semiarid region of Western Canada, *Can. J. Plant Sci.*, 48, 287.

Anderson, C.H. 1969. Control of winter annual forms of stinkweed and flixweed. *Can. J. Pl. Sci.* 49: 87-89.

Anderson, C. H. 1971. Comparison of tillage and chemical summerfallow in a semiarid region, *Can. J. Soil Sci.*, 51, 387.

Anderson, C.H. 1975. Comparison of preseeding tillage with total and minimum tillage by various seeding machines on spring wheat production in southern Saskatchewan. *Can. J. Pl. Sci.* 55: 59-67.

Anderson, D.T. 1963. Some farm machinery requirements for the Palliser Triangle. *Can. Agr. Eng.* 5: 4-6.

Anderson, D.T. and G.C. Russell. 1964. Effects of various quantities of straw mulch on the growth and yield of spring and winter wheat. *Can. J. Soil Sci.* 44: 109-118.

Anderson, D. T., and Smith, A. D. 1966. Seeding mechanisms for trash cover farming, *Can. Agric. Eng.* 8:33-36.

Antonio, L., Cerdeira, A.L and S. O. Duke. 2006. The current status and environmental impacts of glyphosate-resistant Crops: A Review. *J. Environ. Qual.* 35:1633–1658.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Appleby, T. 1993. The economics of conservation tillage in Alberta: an analysis of the costs and returns of conservation tillage systems during the five-year Systems Evaluation Program. Edmonton: Alberta Agriculture, Food and Rural Development, Production Economics Branch.

Arshad, M.A., and Cohen. G.M. 1992. Characterization of soil quality. *Amer. J. Altern. Agric.* 7:25-31.

Arshad, M.A., Franzluebbers, A.J., and Azooz, R.H. 1996. Components of surface soil structure under conventional and no-tillage in northwestern Canada. *Soil Tillage Res.* 53:41-47

Arshad, M.A., Soon Y.K., and Azooz, R. J. 2002. Modified no-till and crop sequence effects on spring wheat production in northern Alberta, Canada. *Soil Tillage Res.* 65:29-36.

Aulakh, M.S.; Rennie, D.A. and E.A. Paul. 1982. Gaseous nitrogen losses from cropped and summerfallowed soils. *Can. J. Soil Sci.* 62:187-195.

Aulakh, M.S.; Rennie, D.A. and E.A. Paul. 1984a. Gaseous nitrogen losses from soils under zero-till as compared with conventional-till management systems. *J. Environ. Qual.* 13:130-136.

Aulakh, M.S.; Rennie, D.A. and E.A. Paul. 1984b. The influence of plant residues on denitrification rates in conventional and zero tilled soils. *Soil Sci. Soc. Am. J.* 48:790-794.

Austenson, H. M., Ashford, R., Bigsby, F. W., Bowren, K. E., Reed, W. B., Warnock, D. J., Wenhardt, A., and Weins, E. H. A. 1978. Comparison of methods of direct-seeding wheat on stubble land in Saskatchewan, *Can. J. Plant Sci.*, 58, 739.

Baeumer, K. and W.A.P. Bakermans. 1973. Zero-Tillage. Pp. 77-123. *In* A.G. Norman (ed.) *Advances in Agronomy*, Vol. 25. Academic Press, Inc. New York.

Bailey, K. L., K. Mortensen, and G. P. Lafond. 1992. Effects of tillage systems and crop rotations on root and foliar disease of wheat, flax, and peas in Saskatchewan. *Can. J. Plant Sci.* 72:583-591.

Bailey, K.L., Lafond, G.P. and Domitruk, D. 1998. Effect of row spacing, seeding rate and seed-placed P on root diseases of spring wheat and barley under zero tillage. *Can. J. Plant Sci.* 78:145-150.

Bailey, K. L., Johnston, A. M., Kutcher, H. R., Gossen, B. D., and Morrall, A. A. 2000. Managing crop losses from diseases with fungicides, rotation, and tillage in the Saskatchewan Parkland. *Can. J. Plant Sci.* 80: 169-175.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Bailey, K. L., Gossen, B. D., Lafond, G. P., Watson, P. R., and Derksen, D.A. 2001. Effect of tillage and crop rotation on root and foliar diseases of wheat and pea in Saskatchewan from 1991 to 1998: Univariate and multivariate analyses. *Can. J. Plant Sci.* 81: 89-803.

Bailey, K.L., Boyetchko, S.M. and T. Längle. 2009. Social and economic drivers shaping the future of biological control: A Canadian perspective on the factors affecting the development and use of microbial biopesticides. *Biological Control*. DOI: 10.1016/j.biocontrol.2009.05.003 (Available online)

Baker, J.L., and J.M. Lafren. 1983. Water quality consequences of conservation tillage. *J. Soil Water Conserv.* 38:186-193.

Ball Coelho, B.R., Roy, R.C., Bruin, A.J., More, A., and P.H. White. 2009. Zonejection: Conservation tillage manure nutrient delivery system. *Agron. J.* 101:215-225.

Bauer, A., and Zubriski, J. C. 1978. Hard red spring wheat straw yields in relation to grain yields, *Soil Sci. Soc. Am. J.*, 42, 777.

Beckie, H.J. and S.I. Warwick. 2009. Persistence of an oilseed rape transgene in the environment. *Crop Protection*. DOI: 10.1016/j.cropro.2009.11.013 (Available online)

Beckie, H.J. 2009. Herbicide Resistance in Weeds: Influence of Farm Practices. *Prairie Soils and Crops: Scientific Perspectives for Innovative Management (E-journal)*, 2(Article 3). (Available online)

Beckie, H.J. 2009. Herbicide-resistant weeds on the march in Alberta. 2009 Agronomy Update Conference, Lethbridge, AB, Canada, January 20-21, 2009, pp. 97-106.

Belcher, K., Boehm, M.M. and Zentner, R.P. 2003. The economic value of soil quality under alternative management in the Canadian Prairies. *Can. J. Agric. Econ.* 51: 175-196.

Biederbeck, V., C.A. Campbell, K.E. Bowren, M. Schnitzer, and R.N. McIver. 1980. Effect of burning cereal straw on soil properties and grain yields in Saskatchewan. *Soil Sci. Soc. Am. J.* 44:103-111.

Bisal, F., and W.S. Ferguson. 1970. Effect of non-erodible aggregates and wheat stubble on initiation of soil drifting. *Can. J. Soil Sci.* 50:31-36.

Black, A. L., and Bauer, A. 1983. Soil conservation: Northern Great Plains, *In* *Dryland Agriculture*, Agronomy monograph no. 23, Dregne, H. E., and Willis, W. O., Eds., American Society of Agronomy, Madison, Wisconsin, 247.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Blackshaw, R. E. 1991. Control of downy brome (*Bromus tectorum*) in conservation fallow systems, *Weed Tech.*, 5, 557.

Blackshaw, R.E., Larney, F.J., Lindwall, C.W., and G.C. Kozub. 1994. Crop rotation and tillage effects on weed populations on the semi-arid Canadian prairies. *Weed Tech.* 8:231-237.

Blackshaw, R.E., and C.W. Lindwall. 1995. Species, herbicide and tillage effects on surface crop residue cover during fallow. *Can. J. Soil Sci.* 75:559-565.

Blackshaw, R.E. and C.W. Lindwall. 1995. Management systems for conservation fallow on the southern Canadian prairies. *Can. J. Soil Sci.* 75:93-99.

Blackshaw, R.E., Molnar, L.J., and C.W. Lindwall. 1998. Merits of a weed-sensing sprayer to control weeds in conservation fallow and cropping systems. *Weed Science* 46:120-126.

Blackshaw, R.E., Molnar, L.J., Chevalier, D.F., and C.W. Lindwall. 1998. Factors affecting the operation of the weed-sensing Detectspray system. *Weed Science* 46:127-131.

Blackshaw, R.E., Larney, F.J., Lindwall, C.W., Watson, P.R., and D.A. Derksen. 2001. Tillage intensity and crop rotation affect weed community dynamics in a winter wheat cropping system. *Can. J. Plant Sci.* 81:805-813.

Blackshaw, R.E. 2005. Tillage intensity affects weed communities in agroecosystems. *In* Inderjit (Ed). *Invasive Plants: Ecological and Agricultural Aspects*. Pp: 209-221

Blackshaw, R.E.; Thomas, A.G.; Derksen, D.A.; Moyer, J.R.; Watson, P.R.; Legere, A., and Turnbull, G.C. 2006. Examining tillage and crop rotation effects on weed populations on Canadian Prairies *In*: Singh, H.P.; Batish, D. and Kohli, R.K. (Eds.) *Handbook of Sustainable Weed Management*. Haworth Press. Pp: 179-207.

Blackshaw, R.E., Molnar, L.J., Clayton, G.W., Harker, K.N., and T. Entz. 2007. Dry bean production in zero and conventional tillage. *Agron. J.* 99:122-126.

Blackshaw, R.E. and R.N. Brandt. 2009. Phosphorus fertilizer effects on the competition between wheat and several weed species. *Weed Biol. Manage.* 9:46-53.

Blackshaw, R.E. and L.J. Molnar, L.J. 2009. Phosphorus fertilizer application method affects weed growth and competition with wheat. *Weed Sci.* 57:311-318.

Blevins, R.L., D. Cook, S.H. Phillips, and R.E. Phillips. 1971. Influence of no-tillage on soil moisture. *Agron. J.* 63:593-596.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Blumberg, A.Y. and D.A. Crossley, Jr. 1983. Comparison of soil surface arthropod populations in conventional tillage, no-tillage and old field systems. *Agro-Ecosystems* 8:247-253.

Boehm, M., Junkins, B., Desjardins, R., Kulshreshtha, S.N., and W. Lindwall. 2004. Sink potential of Canadian agricultural soils. *Climatic Change* 65:297-314.

Bond, J. J., Power, J. F., and Willis, W. O. 1971. Tillage and crop residue management during seedbed preparation for continuous spring wheat. *Agron. J.*, 63:789-793.

Boosalis, M. G., Doupnik, B. and Odvody, G. N. 1991. Conservation tillage in relation to plant diseases. Pimentel D. (ed.) *Handbook of Pest Management in Agriculture*. 2nd Ed. Vol.1. Pp. 541-568. CRC Press, Boca Raton, Florida.

Borlaug, N. 2007. Feeding a hungry world. *Science* 318:318:359.

Brandt, S.A. 1992. Zero vs. conventional tillage and their effects on crop yield and soil moisture. *Can. J. Plant Sci.* 72:679-688.

Brandt, S.A., and R.P. Zentner. 1995. Yield, grain quality and yield variability of wheat, barley and canola under alternate rotations on a Dark Brown Chernozem in west-central Saskatchewan. *Can. J. Plant Sci.* 75:789-794.

Brown, L.R. 2006. The oil intensity of food. In *Plan B 2.0: Rescuing a planet under stress and a civilization in trouble*, W.W. Norton & Co., New York.

Buhler, D.D. 1995. Influence of tillage systems on weed population dynamics and management in corn and soybean in the Central USA. *Crop Sci.* 35:1247-1258.

Campbell, C. A., Tessier, J. S. J., and Selles, F. 1988. Challenges and limitations to adoption of conservation tillage - soil organic matter, fertility, moisture, and soil environment, *In* *Land Degradation and Conservation Tillage*, 34th Annual Meeting of the Canadian Society of Soil Science, Calgary, Aug. 21-24, 1988, 140.

Campbell, C.A., Lafond, G.P., Leyshon, A.J., Zentner, R.P., and H.H. Janzen. 1991. Effect of cropping practices on the initial potential rate of N-mineralization in a thin Black Chernozem. *Can. J. Soil Sci.* 71:43-53.

Campbell, C.A., and Zentner, R.P. 1993. Soil organic matter as influenced by crop rotations and fertilization. *Soil Sci. Soc. Am. J.* 57:1034-1040.

Campbell, C.A., McConkey, B.G., Zentner, R.P., Biederbeck, V.O., Curtin, D. and Wang, H. 1995. Impact of crop rotation and tillage on some soil quality characteristics. pp. 128-133, *In* *Proceedings 1995 Soils and Crop Workshop*, Extension Division, University of Saskatchewan, Saskatoon, SK.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Campbell, C.A., McConkey B.G., Zentner, R.P., Selles, F., and D. Curtin. 1996. Long-term effects of tillage and crop rotations on soil organic C and total N in a clay soil in southwestern Saskatchewan. *Can. J. Soil Sci.* 76:395–401.

Campbell, C.A., Bieberbeck, V.O., McConkey, B.G., Curtin, D., Peru, M.R. and Hahn, D.L. 1997. Effect of tillage on selected soil biochemical characteristics in a coarse- and medium-textured soil in southwestern Saskatchewan. pp. 129-137, *In* Proceedings 1997 Soils and Crops Workshop, Extension Division, University of Saskatchewan, Saskatoon, SK.

Campbell, C.A., H.H. Janzen, and N.G. Juma. 1998. Case studies of soil quality in the Canadian Prairies: long-term field experiments. *In* Soil Quality for Crop Production, M.R. Carter and E. Gregorich (eds.). Elsevier, Amsterdam.

Campbell, C. A., Selles, F., Lafond, G. P., McConkey, B. G. and Hahn, D. 1998. Effect of crop management on C and N in longterm crop rotations after adopting no-tillage management: Comparison of soil sampling strategies. *Can. J. Soil. Sci.* 78:155–162.

Campbell, C.A., VandenBygaart, B.J., Grant, B.B., Zentner, R.P., McConkey, B.G., Lemke, R.L., Gregorich, E.G., and M.R. Fernandez. 2007. Quantifying carbon sequestration in a conventionally tilled crop rotation study in southwestern Saskatchewan, *Can. J. of Soil Sci.* 87: 23-38.

Campbell, C.A., VandenBygaart, B.J., Zentner, R.P., McConkey, B.G., Smith, W.N., Lemke, R.L., Grant, B.B., and P.G. Jefferson. 2007. Quantifying carbon sequestration in a minimum tillage crop rotation study in semiarid southwestern Saskatchewan, *Can. J. of Soil Sci.* 87:235-250.

Campbell, C.A., Zentner, R.P., Basnyat, P., Wang, H., Selles, F., McConkey, B.G., Gan, Y.T., and H.W.Cutforth. 2007. Water use efficiency and water and nitrate distribution in soil in the semiarid prairie: Effect of crop type over 21 years. *Can. J. of Plant Sci.* 87:815-827.

Carefoot, J.M., Janzen, H.H., and C.W. Lindwall. 1994. Crop residue management for irrigated cereals on the semi-arid Canadian prairies. *Soil Tillage Res.* 32:1-20.

Carefoot, J.M., Nyborg, M. and C.W. Lindwall. 1990. Tillage-induced soil changes and related grain yield in a semi-arid region. *Can. J. of Soil Sci.* 70:203-214.

Carefoot, J.M., Nyborg, M. and C.W. Lindwall. 1990. Differential fertilizer N immobilization in two tillage systems influences grain N concentration. *Can.J. Soil Sci.* 70:215-225.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Carter, M.R., Rennie, D.A., 1982. Changes in soil quality under zero tillage farming systems: distribution of microbial biomass and mineralizable C and N potentials. *Can. J. Soil Sci.* 62, 587– 597.

Carter, M. R., and Rennie, D. A. 1984. Crop utilization of placed and broadcast ¹⁵N-urea fertilizer under zero and conventional tillage, *Can. J. Soil Sci.*, 64, 563.

Carter, M.R. and C. Noronha. 2007. Soil micro-arthropod communities and microbial parameters in the potato ridge under two field management systems on sandy loams in Atlantic Canada. *Can. J. of Soil Sci.* 87:399-404.

Carter, M.R., Sanderson, J.B., Holmstrom, D.A., Ivany, J.A., and K.R. DeHaan. 2007. Influence of conservation tillage and glyphosate on soil structure and organic carbon fractions through the cycle of a 3-year potato rotation in Atlantic Canada. *Soil Tillage Res.* 93:206-221.

Carter, M.R., Peters, R.D., Noronha, C., and J. Kimpinski. 2009. Influence of 10 years of conservation tillage on some biological properties of a fine sandy loam in the potato phase of two crop rotations in Atlantic Canada. *Can. J. Soil Sci.* 89:391-402.

Carter, M.R., Sanderson, J.B., and Peters, R.D. 2009. Long-term conservation tillage in potato rotations in Atlantic Canada: Potato productivity, tuber quality and nutrient content. *Can. J. Pl. Sci.* 89:273-780.

Carter, M.R. and E.G. Gregorich. 2010. Carbon and nitrogen storage by deep-rooted tall fescue (*Lolium arundinaceum*) in the surface and subsurface soil of a fine sandy loam in eastern Canada. *Agriculture, Ecosystems and Environment*. DOI: 10.1016/j.agee.2009.12.005 (Available online)

Castrale, J. S. 1985. Responses of wildlife to various tillage conditions. *Trans. North Am. Wildlife and Nat. Res. Conf.* 50:142-156.

Chang, C. and C.W. Lindwall. 1989. Effect of long-term minimum tillage practices on physical properties of a chernozemic clay loam. *Can. J. Soil Sci.* 69:443-449.

Chang, C. and C.W. Lindwall. 1989. Comparison of the effect of long-term tillage and crop rotation on physical properties of a soil. *Can. Agric. Eng.* 32:53-55.

Chang, C. and C.W. Lindwall. 1991. Effects of tillage and crop rotation physical properties of a loam soil. *Soil and Tillage Res.* 22:383-389.

Chang, C, and C.W. Lindwall. 2001. Tillage and crop sequence effects on organic carbon and total nitrogen content in an irrigated Alberta soil. *Soil Tillage Res.* 62:167-169.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



- Clapperton, M.J., Miller, J.J., Larney, F.J., and C.W. Lindwall. 1997. Earthworm populations as affected by long-term tillage practices in southern Alberta, Canada. *Soil Biol. and Biochem.* 29:631-633.
- Clapperton, M.J., Janzen, H.H., and Johnston, A.M. 1997a. Suppression of VAM fungi and micronutrient uptake by low-level P fertilisation in long-term wheat rotations. *American Journal of Alternative Agriculture*, 12:59-63.
- Clayton, G.W., Chang, C., Harker, K.N., Janzen, H.H., and W. Lindwall. 2002. Environmental sustainability for the 21st century. Pp. 418-423 *In* Proceedings of the International Conference on Environmentally Sustainable Agriculture for Dry Areas, Hebei Conference Centre, Shijiazhuang, Hebei, China, Sep 15-19, 2002.
- Cochran, V.L., L.F. Elliott, and R.I. Papendick. 1980. Carbon and nitrogen movement from surface applied wheat (*Triticum aestivum*) straw. *Soil Sci. Soc. Am. J.* 44:978-982.
- Coen, G.M., Tataarko, J., Martin, T.C., Cannon, K.R., Goddard, T.W., and Sweetland, N.J. 2003. A method for using WEPS to map wind erosion risk assessment of Alberta soils. *Environmental Modelling and Software* 19:185-189.
- Cole, E. C., McComb, W. C., Newton, M., Leeming, J. P., and C.L. Chambers. 1998. Response of small mammals to clearcutting, burning, and glyphosate application in the Oregon coast range. *J. Wildlife Management* 62(4): 1207-1216. British Columbia, Canada.
- Conner, R.L., Lindwall C.W., and T.G. Atkinson. 1987. Influence of minimum tillage on severity of common root rot in wheat. *Can. J. Plant Path.* 9:56-58.
- Conservation Tillage Information Center, in 1985 National Survey: Conservation Tillage Practices, West Lafayette, Indiana, 1986, 136.
- Cook, R.L., L.M. Turk, and H.J. McCally. 1953. Tillage methods influence crop yields. *Soil Sci. Soc. Am. Proc.* 17:410-415.
- Coote, D.R. 1984. The extent of soil erosion in western Canada. Pp:34-38. *In* Soil Erosion and land Degradation. Proc. 2nd Annual Western Provincial Conference. Rationalization of Water and Soil Research and Management. Saskatchewan Institute of Pedology, Saskatoon, SK.
- Cowan, W. F. 1982. Waterfowl Production on Zero Tillage Farms. *Wildlife Society Bulletin.* 10:305-308.
- Crosson, P. 1981. Conservation tillage and conventional tillage: a comparative assessment. Soil Conservation Society of America, Ankeny, Iowa.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Crosson, P., M. Hanthorn, and M. Duffey. 1986. The economics of conservation tillage. *In* M.A. Sprague and G.B. Triplett (ed.) No-tillage and surface tillage agriculture. John Wiley & Sons, New York.

Curtin, D., McConkey, B., Biederbeck, V., Campbell, C., Schoenau, J., Wang, H., Lafond, G., Moulin, A., Zentner, R. and Brandt, S. 1996. Changes in soils biological and physical properties under reduced tillage systems. Pp. 497-505, *In* Proc. 1996 Soils and Crops Workshop, Extension Division, University of Saskatchewan, Saskatoon, SK.

Davey, K.A. and W.H. Furtan. 2008. Factors that affect the adoption decision of conservation tillage in the Prairie Region of Canada. *Canadian Journal of Agricultural Economics/Revue canadienne d'agroeconomie*. 56(3).

David, M. G. 2004. The effects of cultural measures on cereal pests and their role in integrated pest management. *Integrated Pest Management Reviews*. Vol. 25-40.

DeFelice, M.S., P.R. Carter, and S.B. Mitchell. 2006. Influence of tillage on corn and soybean yield in the United States and Canada. Available at www.plantmanagementnetwork.org/cm.

Deibert, E.J. 1997. Soil quality impact of conservation tillage. Manitoba North Dakota No-till Association. www.mandakzerotill.org/books/proceedings

Derksen, D. A., G. P. Lafond, A. G. Thomas, H. A. Loeppky, and C. J. Swanton. 1993. Impact of agronomic practices on weed communities: tillage systems. *Weed Science* 41:409-417.

Derksen, D. A., Lafond, G. P., Thomas, A. G., Loeppky, H. A., and Swanton, C. J. 1993. The impact of agronomic practices on weed communities: tillage systems. *Weed Science* 41:409-417.

Derksen, D.A., A.G. Thomas, G.P. Lafond, H.A. Loeppky, and C.J. Swanton. 1994. The impact of agronomic practises on weed communities: fallow within tillage systems. *Weed Sci.* 42:184-194.

Derksen, D.A., A.G. Thomas, G.P. Lafond, H.A. Loeppky and C.J. Swanton. 1995. The impact of post-emergence herbicides on weed community diversity within conservation-tillage systems. *Weed Res* 35:311-320.

Derksen, D. A., Anderson R. L., Blackshaw, R. E., and Maxwell, B. 2002. The effect of various conservation practices on wheat. *In*: Annual Report of CDC and Department of Crop Science, University of Saskatchewan, Saskatoon, Pg. 68.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Derner, J.D., D.D. Briske, and T.W. Boutton. 1997. Does grazing mediate soil carbon and nitrogen accumulation beneath C₄ perennial grasses along an environmental gradient? *Plant and Soil*. 280:77-90.

Derner, J.D., T.W. Boutton, and D.D. Briske. 2006. Grazing and ecosystem carbon storage in the North American Great Plains. *Plant and Soil* 280:77-90.

Derner, J.D. and G.E. Schuman. 2007. Carbon sequestration and rangelands: A synthesis of land management and precipitation effects. *J. of Soil and Water Conserv.* 62:77-85.

Derpsch, R. 1998. Historical review of no-tillage cultivation of crops. JIRCAS Working Rep. 13:1-18. Japan Int. Res. Ctr. For Agric. Sciences, Ibaraki, Japan. See also www.rolf-derpsch.com (verified 24 Jan. 2008).

Desjardins, R.L., Pattey, E., Smith, W.N., Worth, D.E., Grant, B.B., Srinivasan, R., MacPherson, I.J., and Mauder, M.R. 2009. Multiscale estimates of N₂O emissions from agricultural lands. *Agricultural and Forest Meteorology*. DOI: 10.1016/j.agrformet.2009.09.001 (Available online)

Devries, J. D., Armstrong, L.M., MacFarlane, R. J., Moats, L., and Thoroughgood, P.T. 2008. Waterfowl nesting in fall-seeded and spring-seeded cropland in Saskatchewan. *Journal of Wildlife Management* 72: 1790-1797.

Dill-Macky, R., and Jones, R. K. 1997. The effect of previous crop residues and tillage on Fusarium head blight of wheat. *Plant Dis.* 84: 71-76.

Doran, J.W. 1980. Soil microbial and biochemical changes associated with reduced tillage. *Soil Sci. Soc. Am. J.* 44:765-771.

Doran, J.W., and T.B. Parkin. 1994. Defining and assessing soil quality. p. 3–21. *In* J.W. Doran et al. (ed.) *Defining soil quality for a sustainable environment*. SSSA Spec. Publ. 35. SSSA and ASA, Madison, WI.

Dormaar, J.F. and C.W. Lindwall. 1989. Chemical differences in dark brown chernozemic Ap horizons under various conservation tillage systems. *Can. J. Soil Sci.* 69:481-488.

Dosdall, L. M., Dolinski, M. G., Cowle, N. T., and Conway, P. M. 1999. The effect of tillage regime, row spacing, and seeding rate on feeding damage by flea beetles, *Phyllotreta* spp. (Coleoptera:Chrysomelidae), in canola in central Alberta, Canada. *Crop Protection*. Vol. 18:217-224.

Dosdall, L. 2003. Managing insect pests in reduced tillage systems. Pp. 40-44. *In* *Proceedings Direct Seeding Advantage 2003*. Alberta Reduced Tillage Linkages. Nisku, AB.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Dosdell, L. M. 2004. Understanding insects and their control in different cropping systems. *In*: FarmTech Conf. Proc. Pp: 52-55.

Dou, L. 2007. Analysis of the reasons why conservation tillage increases significantly the yield of wheat. Agriculture Machinery Technology Extension, 7:25-26.

Duebbert, H. F. and H. A. Kantrud. 1987. Use of no-till winter wheat by nesting ducks in North Dakota. J. Soil and Water Conserv. 42:50-53.

Dumanski, J., Desjardins, R.L., Tarnocai, C., Monreal, C., Gregorich, E.B., Kirkwood, V., and C.A. Campbell. 2004. Possibilities for future carbon sequestration in Canadian agriculture in relation to land use changes. Climate Change 40:81-103.

Dyer, J.A. and Desjardins, R.L. 2009. A review and evaluation of fossil energy and carbon dioxide emissions in Canadian agriculture. J. Sustain. Agric. 33:210-228.

Dyer, J.A. and R.L. Desjardins. 2008. The contribution of farm energy use to past, present and future greenhouse gas emissions from Canadian agriculture. *In* Vasser, C.P. (ed.) - The Kyoto Protocol: Economic Assessments, Implementation Mechanisms, and Policy Implications, Nova Science Publishers Inc, Chapter 3, pp. 87-106.

Ehlers, W. 1975. Observations on earthworm channels and infiltration on tilled and untilled loess soil. Soil Sci. 119:242-249.

Elliott, J.A., A.J. Cessna and D.W. Anderson. 1998. Effect of tillage system on snowmelt runoff quality and quantity. *In* Proc. Ann. Meeting of the Amer. Soc. Agron., Crop Sci. Soc. Amer. and Soil Sci.Soc. Amer., Oct. 18-22, Baltimore, MD.

Environment Canada. 2000. Environmental Sustainability of Canadian Agriculture: Report of the Agri-Environmental Indicator Project. Agriculture and Agri-Food Canada. 2000.

Ervin, C. A. and D. E. Ervin, 1982. Factors affecting the use of soil conservation practices: hypotheses, evidence and policy implications. Land Econ. 58: 277-292.

Faulkner, E.H. 1943. Faulkner, Plowman's Folly. Grosset and Dunlap, New York.

Fawcett, R. and D. Towery. 2002. Conservation Tillage and Plant Biotechnology: How new technologies can improve the environment by reducing the need to plow. Conservation Technology Information Center, West Lafayette, IN.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Fernandez, M.R., Selles F., Gehl, D., DePauw, R. M., and Zentner, R. P. 2005. Crop production factors associated with Fusarium head blight in spring wheat in eastern Saskatchewan. *Crop Sci* 45:1908-1916.

Fernandez, M.R., Basnyat, P., and R.P. Zentner. 2007. Response of wheat root pathogens to crop management in eastern Saskatchewan. *Can. J. of Plant Sci.* 87:953-963.

Fernandez, M.R., Zentner, R.P., DePauw, R.M., Gehl, D.T., and F.C.Stevenson. 2007. Impacts of crop production factors on common root rot of barley in eastern Saskatchewan. *Crop Sci.* 47:1585-1595.

Fernandez, M.R., Zentner, R.P., DePauw, R.M., Gehl, D.T., and F.C.Stevenson. 2007. Impacts of crop production factors on Fusarium Head Blight in barley in eastern Saskatchewan. *Crop Sci.* 47:1574-1584.

Fernandez, M.R., Zentner, R.P., Gehl, D.T., Selles, F., Huber, D., and Basnyat, P. 2009. Glyphosate associations with cereal diseases caused by Fusarium spp. in the Canadian Prairies. *European Journal of Agronomy*, 31:133-143.

Food and Agricultural Organization of the United Nations. 2007. Conservation Agriculture. WebPage: <http://www.fao.org/ag/ca/>

Foster, R. K., and C.W. Lindwall. 1986. Minimum tillage and wheat production in western Canada, *In* *Wheat Production in Canada - A Review*, Slinkard, A. E., and Fowler, D. B., (Eds.), University of Saskatchewan, Saskatoon, Sask., 354.

Fowler, D. B., Gusta, L. V., Bowren, K. E., Crowley, W. L., Mallough, E. D., McBean, D. S., and McIver, R. N. 1976. The potential for winter wheat production in Saskatchewan. *Can. J. Plant Sci.*, 56, 45.

Franzluebbers, A.J. and M.A. Arshad. 1996. Water-stable aggregation and organic matter in four soils under conventional and no-till. *Can. J. Soil Science* 76:387-393.

Friedrich, T. 2008. Investing in sustainable agricultural intensification – The role of conservation agriculture. Food and Agriculture Organization of the United Nations, Rome, Italy.

Froud-Williams, R. J., Chancellor, R. J., and Drennan, D. S. H. 1981. Potential changes in weed floras associated with reduced - cultivation systems for cereal production in temperate regions, *Weed Res.*, 21, 99.

Froud-Williams, R. J. 1988. Changes in weed flora with different tillage and agronomic management systems. Pp. 312–236 *In* M. A. Altieri and M. Liebman, (eds.) *Weed Management in Agroecosystems: Ecological Approaches*. Boca Raton, FL: CRC Press.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Frye, W.W. and C.W. Lindwall. 1986. Zero-tillage research priorities. *Soil and Tillage Res.* 8:311-316.

Gameda, S.B., Qian, B., Campbell, C.A., and R.L. Desjardins. 2007. Climatic trends associated with summerfallow in the Canadian Prairies. *Agricultural and Forest Meteorology*, 142:170-185.

Gan, Y.T., Lafond, G.P. and May, W.E. 2000. Grain yield and water use: Relative performance of winter wheat vs. spring cereals in east-central Saskatchewan. *Can. J. Plant Sci.* 80:533-541.

Gan, Y.T., Malhi, S.S., Katepa-Mupondwa, F., and R.H. Kutcher. 2007. Brassica juncea Canola in the northern Great Plains: Responses to diverse environments and nitrogen fertilization, *Agron. J.* 99:1208-1218.

Gan, Y.T., Wang, J., Bing, D.-J., Miller, P.R., and C.L. McDonald. 2007. Water use of pulse crops at various plant densities under fallow and stubble conditions in a semiarid environment. *Can. J. Plant Sci.* 87:719-722.

Gan, Y.T. and T. Goddard. 2008. Roles of annual legumes in no-till farming systems., *In* Goddard, T., Zoebisch, M.A., Gan, Y.T., Ellis, W., Watson, A., and S. Sombatpanit. (eds.) - No-till farming systems., World Association of Soil and Water Conservation, Funny Publ., Bangkok, pp. 279-289.

Gan, Y.T., Harker, K.N., McConkey, B.G., and M. Suleimenov. 2008. Moving towards no-till practices in northern Eurasia, *In* Goddard, T., Zoebisch, M.A., Gan, Y.T., Ellis, W., Watson, A., and S. Sombatpanit, S. (eds.) - No-till farming systems., World Association of Soil and Water Conservation, Funny Publ., Bangkok, pp. 179-197.

Gan, Y.T., Huang, G.B., Li, L.-L., Liu, J.H., and Y.G. Hu. 2008. Unique conservation tillage practices in northwest China, *In* Goddard, T., Zoebisch, M.A., Gan, Y.T., Ellis, W., Watson, A., and S. Sombatpanit. (eds.) - No-till farming systems., World Association of Soil and Water Conservation, Funny Publ., Bangkok, pp. 429-445.

Gan, Y.T., Campbell, C.A., Janzen, H.H., Lemke, R.L., Basnyat, P., and McDonald, C.L. 2009. Carbon input to soil from oilseed and pulse crops on the Canadian prairies. *Agriculture, Ecosystems and Environment*, 132:290-297.

Gan, Y.T., Campbell, C.A., Janzen, H.H., Lemke, R.L., Liu, L.P., Basnyat, P., and McDonald, C.L. 2009. Root mass for oilseed and pulse crops: Growth and distribution in the soil profile. *Can. J. Plant Sci.* 89:883-893.

Gan, Y.T., Campbell, C.A., Liu, L., Basnyat, P., and C.L. McDonald. 2009. Water use and distribution profile under pulse and oilseed crops in semiarid northern high latitude areas. *Agricultural Water Management*, 96:337-348.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Gares, R.A. and Schoenau, J.J. 1994. Chemical changes in standing cereal straw residues in chem.-fallow and its relationship to N, P and S availability in two cropping systems. Pp. 21-28, *In* Proceedings 1994 Soils and Crops Workshop, Extension Division, University of Saskatchewan, Saskatoon, SK.

Gauer, E., Shaykewich, C. F., and Stobbe, E. H. 1982. Soil temperature and soil water under zero tillage in Manitoba. *Can. J. Soil Sci.*, 62, 311.

Gilbert, J., and Woods, S.M. 2001. Leaf spot diseases of spring wheat in southern Manitoba farm fields under conventional and conservation tillage. *Can J. Plant Sci.* 81:551-559.

Giesy J. P., Dobson S., Solomon, K. R. 2000. Ecotoxicological risk assessment for Roundup herbicide. *Reviews of Environmental Contamination and Toxicology* 167: 35-120.

Goddard, T., Zoebisch, M.A., Gan, Y.T., Ellis, W., Watson, A. and S. Sombatpanit. (eds.) 2008. No-Till Farming Systems. Special Publication No. 3, World Association of Soil and Water Conservation, Bangkok. ISBN:978-974-8391-60-1, 544pp.

Gossen, B.D., Bailey, K.L., and Lafond, G.P. 1997. Impact of tillage management on disease severity in field pea in a four year rotation. *Can. J. Plant Pathol.*19:324-325.

Gossen, B.D., and Derksen, D.A. 2003. Impact of tillage and crop rotation on *Ascochyta* blight (*Ascochyta lentis*) of lentil. *Can. J. Plant Sci.* 83: 411-415.

Gossen, B.D., and Miller, P.R. 2004. Survival of *Aschochyta rabiei* in chickpea residue in the Canadian Prairies. *Can J. Plant Pathol.* 26: 142-147.

Govers, D, Lobb, A and Quine, T.A.. 1999. Tillage erosion and translocation: emergence of a new paradigm in soil erosion research, *Soil Tillage Research.* 51:167-174.

Granatstein, D. and Bezdicek, D.F. 1992. The need for a soil quality index: Local and regional perspectives. *American Journal of Alternative Agriculture.*7:12-16.

Grant, B., Smith, W.N., Desjardins, R. Lemke,R., and C.Li. 2004. Estimated N₂O and CO₂ emissions as influenced by agricultural practices in Canada. *Climate Change* 65: 315-332.

Grant, C.A. and G.P. Lafond 1993. The effects of tillage systems and crop sequences on soil bulk density and penetration resistance on a clay soil in southern Saskatchewan. *Can. J. Soil Sci.* 73:223-232.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Grant, C. and Bailey, L. 1994. The effect of tillage and KCl addition on pH, conductance, NO₃-N, P, K and Cl distribution in the soil profile. *Can. J. Soil Sci.* 74: 307-314.

Grant, C.A. and Lafond, G.P. 1994. The effects of tillage systems and crop rotations on soil chemical properties of a Black Chernozemic soil. *Can. J. Soil Sci.* 74: 301-306.

Greb, B.W. 1967. Percent soil cover by six vegetative mulches. *Agron. J.* 59: 610-617.

Grevers, M.C., and Voroney, R. P. 1985. Nitrogen fertilizer placement with zero tillage. Pages 6-12. *In* Proc. of the 7th Annual Manitoba-North Dakota Zero Tillage Workshop, Brandon, MB.

Guo, X.W., Fernando, G.D. and Entz, M. 2005. Effects of crop rotation and tillage on blackleg disease of canola. *Can. J. Plant Pathol.* 27: 53-57.

Halverson, A.D. and J.L. Havlin. 1992. No-till winter wheat response to phosphorus placement and rate. *Soil Sci. Soc. Am. J.* 56:1635-1639.

Halverson, A.D., Wienhold, B.J., and A.L. Black. 2001. Tillage and nitrogen fertilization influences on grain and soil nitrogen in a spring wheat-fallow system. *Agron. J.* 93:1130-1135.

Hanson K.G. and Fernandez, M.R. 2002. Effects of glyphosate herbicides on *Pyrenophora tritici-repentis* and other cereal pathogens. (eds.) Rasmussen, J. B., Friesen, T. L., Ali, S. *In*: Proc. of Fourth International Wheat Tan Spot and Spot Blotch Workshop, Bemidji, Minnesota, USA, 21-24 July.

Hao, X., Chang, C., and C.W. Lindwall. 2001. Tillage and crop sequence effects on organic carbon and total nitrogen content in an irrigated Alberta soil. *Soil Tillage Res.* 62:167-169.

Harker, K.N. and R.E. Blackshaw. 2009. Integrated Cropping Systems for Weed Management, Prairie Soils and Crops: Scientific Perspectives for Innovative Management (E-journal), 2009(Article 8). (Available online)

Harker, K.N., Blackshaw, R.E., Beckie, H.J., and O'Donovan, J.T. 2009. Weed invasions in western Canada cropping systems. *In* Inderjit (ed.) - Management of Invasive Weeds (Invading Nature - Springer Series in Invasion Ecology), Springer, pp. 151-166.

Harker, K.N and Lafond, G.P. 2009. Prairie Soils and Crops ISSUE #2. Weeds, Herbicides and Management. 76 pages [online] Available: <http://www.prairiesoilandcrops.ca>

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Harker, K.N., O'Donovan, J.T., Irvine, R.B., Turkington, T.K., and Clayton, G.W. 2009. Integrating cropping systems with cultural techniques augments wild oat (*Avena fatua*) management in barley. *Weed Sci.* 57:326-337.

Haugen-Kozyra, K, Juma, N.G. and Nyborg, M. 1993. Nitrogen partitioning and cycling in barley-soil systems under conventional and no-till in central Alberta. *Can. J. Soil Sci.* 73: 183-196.

Hengeveld, H., Braithwaite, S.L., Desjardins, R.L., Gorjup, J., and P. Hall. 2008. Enhancement of greenhouse gas sinks: A Canadian science assessment. PERD POL 6.2.1 Final Report. NRCan., Ottawa.

Hill, B.D., Miller, J.J., Chang, C., and Rodvang, S.J. 1996. Seasonal variation in herbicide levels detected in shallow Alberta groundwater. *J. Environ. Sci. Health, B31(4)*: 883-900.

Hoffman, N. 2008. Conventional tillage: how conventional is it? *EnviroStats* 16-002-X. <http://www.statcan.gc.ca/>

Holland, J.M. 2004. The environmental consequences of adopting conservation tillage in Europe: reviewing the evidence. *Agriculture, Ecosystems and Environment*, 103:1-25. Available online at www.sciencedirect.com .

Holm, F. A. 1988. Herbicides for conservation tillage, *In*: Proc. 35 Annual Meeting. Pest Management Society, Calgary, Alberta. p.76.

Holm, F.A., Zentner, R.P., Thomas, A.G., Sapsford, K., Legere, A., Gossen, B.D., Olfert, O., and Leeson, J.Y. 2006. Agronomic and economic responses to integrated weed management systems and fungicide in a wheat-canola-barley-pea rotation. *Can. J. Plant Sci.* 86: 1281-1295.

Holzapfel, C.B., Lafond, G.P., Brandt, S.A., May, W.E. and Johnston, A.M. 2007. In-soil banded versus post-seeding liquid nitrogen applications in no-till spring wheat and canola. *Can. J. Plant Sci.* 87: 87: 223B232.

Hummel, J.D., Dosdall, L.M., Clayton, G.W., Turkington, T.K., Lupwayi, N.Z., Harker, K.N., and O'Donovan, J.T. 2009. Canola-wheat intercrops for improved agronomic performance and integrated pest management. *Agro. J.* 101: 1190-1197.

Izaurrealde R.C., Feng, Y., Robertson, J.A., McGill, W.B., Juma, N.G., and B.N. Olson. 1995. Longterm influence of cropping systems, tillage methods, and N sources on nitrate leaching. *Can. J. Soil Sci.* 497-505.

Janzen, H.H. and C.W. Lindwall. 1989. Optimum application parameters for point-injection of N in winter wheat. *Soil Sci. Soc. Am. J.*53:1878-1883.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Janzen, H.H., C.W. Lindwall, and C.J. Roppel. 1990. Relative efficiency of point-injection and surface applications for N fertilization of winter wheat. *Can. J. of Soil Sci.* 70:189-201.

Janzen, H.H., Johnston, A.M., Carefoot, J.M. and C.W. Lindwall. 1997. Soil organic matter dynamics in long-term experiments in southern Alberta. Pp. 283-296 *In* Paul E.A., Paustian K., Elliott E.T., and Cole C.V. (eds.) *Soil organic matter in the long-term plots of North America*, CRC Press Inc, Boca Raton, FL.

Janzen, H.H., Campbell, C.A., Izaurrealde, R.C., Ellert, B.H., Juma, N., McGill, W.B., and R.P. Zentner. 1998. Management effects on soil C storage on the Canadian prairies, *Soil Tillage Res.* 47: 181–195.

Janzen, H.H. 2007. Greenhouse gases as clues to permanence of farmlands. *Conserv. Biol.* 21:668-674.

Janzen, H.H. 2008. Agriculture and the Greenhouse Gases. *In* *Prairie Soils and Crops: Scientific Perspectives for Innovative Management*. Pp. 5-10. (E-journal) 1(Article 1) www.prairiessoilsandcrops.ca .

Janzen, H.H., Desjardins, R.L., Rochette, P., Boehm, M. and D. Worth. 2008. Better Farming – Better Air: A scientific analysis of farming practice and greenhouse gases in Canada. Agriculture and Agri-Food Canada Publication No. 10530E. 146 pages.

Janzen, H.H. 2009. A century of planting trees: Musings on one hundred years of research. *Canadian Journal of Soil Science*, 89:247-254.

Johal, G.S. and D.M. Huber. 2009. Glyphosate effects on diseases of plants. *Europ. J. Agron.* 31:144-152.

Johnston, A.M., Larney, F.J., and C.W. Lindwall. 1995. Spring wheat and barley response to long-term fallow management. *J. Prod. Agric.* 8:264-268.

Johnston, A.M., G.P. Lafond, J.T. Harapiak, and W.K. Head. 1997. No-till spring wheat and canola response to side banded anhydrous ammonia at seeding. *J. Prod. Agric.* 10: 452-458.

Johnston, A.M., Lafond G.P., Hultgreen, G.E. and Hnatowich, G.L. 2001. Spring wheat and canola response to nitrogen placement with no-till sideband openers. *Can. J. Plant Sci.* 81:191-198.

Johnston, A.M., G.P. Lafond, W.E. May, G.L. Hnatowich, and G.E. Hultgreen. 2003. Opener, packer wheel and packing force effects on crop emergence and yield of direct seeded wheat, canola and field peas. *Can. J. Plant Sci.* 83:129-139.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Johnson, W.G., Davis, V.M., Kruger, G.R. and S.C. Weller. 2009. Influence of glyphosate-resistant cropping systems on weed species shifts and glyphosate-resistant weed populations. *Europ. J. Agronomy*. 31:162-172.

Joschko, M., Gebbers, R., Barkusky, D., Rogasik, J., Höhn, W., Hierold, W., Fox, C.A., and J. Timmer. 2009. Location-dependency of earthworm response to reduced tillage on sandy soil. *Soil Tillage Res.* 102:55-66.

Khakbazan, M., Mohr, R.M., Derksen, D.A., Monreal, M.A., Grant, C.A., Zentner, R.P., Moulin, A.P., McLaren, D.L., Irvine, R.B., and Nagy, C.N. 2009. Effects of alternative management practices on the economics, energy and GHG emissions of a wheat-pea cropping system in the Canadian Prairies. *Soil Tillage Res.* 104:30-38.

Kirkland, K. J., and Keys, C. H. 1982. The effect of snow trapping and cropping sequence on moisture conservation and utilization in west-central Saskatchewan, *Can. J. Plant Sci.*, 61, 241, 1982.

Kremer, R.J. and N.E. Means. 2009. Glyphosate and glyphosate-resistant crop interactions with rhizosphere microorganisms. *Europ. J. Agronomy* 31:153-161.

Krupinsky, J.M. Tanaka, D.L. 2001. Leaf spot diseases on winter wheat influenced by nitrogen, tillage, and haying after a grass-alfalfa mixture in the conservation reserve program. *Plant Dis.* 85:785-789.

Lafond, G. P., Zentner, R. P., and R. Geremia. 1991. Effect of tillage systems and crop rotations on the economics of spring wheat, flax, and field peas for a thin black soil at Indian Head, *In* Proc. Economics of Prairie Agriculture in the 1990's, Div. of Extension, University of Saskatchewan, Saskatoon, Saskatchewan, 1991, 537.

Lafond, G.P. 1992. Evaluation of winter wheat management practices under semi-arid conditions. *Can. J. Plant Sci.* 72:1-12.

Lafond, G. P., Loeppky, H., and Derksen, D. A. 1992. The effects of tillage and crop rotations on soil water conservation, seedling establishment and crop yield, *Can. J. Plant Sci.*, 72, 103.

Lafond, G.P., Zentner, R.P., Geremia, R. and Derksen, D.A. 1992. The effects of tillage systems on the economic performance of spring wheat, winter wheat, flax, and field pea production in east central Saskatchewan. *Can. J. Plant Sci.* 72:47-54.

Lafond, G.P., Loeppky, H.A. and Derksen, D.A. 1992. The effects of tillage systems and crop rotations on soil water conservation, seedling establishment and crop yield. *Can. J. Plant Sci.* 72: 103-115.

Lafond, G.P. 1993. The effects of nitrogen, row spacing and seeding rate on the yield of flax under a zero-till production system. *Can. J. Plant Sci.* 73:375-382.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Lafond, G.P., Zentner, R.P., Geremia, R., and Derksen, D.A. 1993. The effects of tillage systems on the economic performance of spring wheat, winter wheat, flax, and field pea production in east central Saskatchewan. *Can. J. Plant Sci.* 73: 47-54.

Lafond, G. 1993. Residues and Residue Management: The Key to a Successful Zero-till System. *In*:Conference proceedings. Manitoba-North Dakota Zero-till Association.<http://www.mandakzerotill.org/books/proceedings/Proceedings1993/guylafond.htm>

Lafond, G.P. 1994. Effects of row spacing, seeding rate and nitrogen on yield of barley and wheat under zero-till management. *Can. J. Plant Sci.* 74:703-711.

Lafond, G.P., D.A. Derksen, H.A. Loeppky and D. Struthers. 1994. An agronomic evaluation of conservation- tillage systems in East Central Saskatchewan. *J. Soil Water Conserv.* 41:409-417.

Lafond, G.P. and D.A. Derksen. 1996. The long term potential of Conservation Tillage on the Canadian Prairies. *Can. J. Plant Pathology* 18:151-158.

Lafond, G.P. and D.A. Derksen. 1996. Row spacing and seeding rate effects in wheat and barley under a conventional fallow management system. *Can. J. Plant Sci.* 76: 791-793.

Lafond, G.P., S.M. Boyetchko, S.A. Brandt, G.W. Clayton and M.H. Entz. 1996. Influence of changing tillage practises on crop production. *Can. J. Plant Sci.* 76: 641-649.

Lafond, G. 1997. Row spacing: Why are we revisiting this concept? pp. 20-25. *In* Pulses for dryland rotations: Proc. Innovations for Reduced Tillage and Pulse Production Conf., Lethbridge, AB.

Lafond, G. P. and Y. Gan 1999. Row spacing and seeding rate studies in no-till winter wheat for the Northern Great Plains. *J Prod. Agric.* 12:624-629.

Lafond, G.P., Gan, Y.T., Johnston, A.M., Domitruk, D., Stevenson, F.C., and Head, K.W. 2001. Feasibility of applying all nitrogen and phosphorus requirements at planting of no-till winter wheat. *Can. J. Plant Sci.* 81:373-383.

Lafond, G.P., Grant C., Johnston, A.M., McAndrew, D. and May, W. 2003. Management of nitrogen and phosphorus fertilizer in no-till flax. *Can. J. Plant Sci.* 83:681-688.

Lafond, G.P., Brandt, S.A., Grant, C.A., Irvine, B., Hultgreen, G., Johnston, A.M., Lemke, R., Malhi, S.S., May, W.E., Schoenau, J.J., Harapiak, J.T. 2006. Mid Row Banding or Side Banding: The great debate. *Prairie Steward (Saskatchewan Soil Conservation Association Newsletter) Spring Issue #47:7, 17-19.*

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Lafond, G.P., May, W.E., Stevenson, F.C. and Derksen, D.A. 2006. Effects of tillage systems and rotations on crop production for a thin Black Chernozem in the Canadian Prairies. *Soil and Till. Res.* 89:232-245.

Lafond, G.P., Clayton, G.W., Johnston, A.M., May, W.E., Derksen, D.A., and Stevenson, F.C. 2006. Nitrogen Management systems to optimize spring wheat under no-till: effects on plant development. *Can. J. Plant Sci.* 86: 443-451.

Lafond, G.P., Brandt, S.A., Irvine, B., May, W.E. and Holzapfel, C.B. 2008. Reducing the risks of in-crop nitrogen fertilizer applications in spring wheat and canola. *Can. J. Plant Sci.* 88:907-919.

Lafond, G.P. and Harker, K.N. 2008. Prairie Soils and Crops ISSUE #1. Agriculture and the impact on the environment. 44 pages [online] Available: <http://www.prairiesoilsandcrops.ca>

Lafond, G.P., Stumborg, M., Lemke, R., May, W.E., Holzapfel, C.B. and Campbell, C.A. 2009. Quantifying straw removal through baling and measuring the long-term impact on soil quality and wheat production. *Agron. J.* 101: 529-537.

Lafond, G.P., McConkey, B.G., and M. Stumborg. 2009. Conservation tillage models for small-scale farming: Linking the Canadian experience to the small farms of Inner Mongolia Autonomous Region in China. *Soil Tillage Res.* 104: 150-155.

Lal, R., and Steppuhn, H., Minimizing fall tillage on the Canadian prairies--A review. 1980. *Can. Agric. Eng.*, 22, 101.

Lal, R., Tillage and agricultural sustainability. 1991. *Soil Tillage Res.* 20, 133, 1991.

Lal, R. 2000. Soil management in developing countries. *Soil Sci.* 165: 57-72.

Lal, R. 2007. Soil science and the carbon civilization. *Soil Sci. Soc. Amer. J.* 71:1425-1437.

Lal, R., Follet, R.F., Stewart, B.A., and J.M. Kimble. 2007. Soil carbon sequestration to mitigate climate change and advance food security. *Soil Sci.* 172:943-956.

Larney, F.J., Lindwall, C.W., Izaurrealde, R.C. and A.P. Moulin. 1993. Tillage systems for soil and water conservation on the Canadian prairie. *In* Carter M.R. (ed). *Conservation Tillage in Temperate Regions - Development and Adaptation to Soil and Climatic Constraints*, Lewis Publishers, Chelsea, MI.

Larney, F.J. and C.W. Lindwall. 1994. Winter wheat performance in various cropping systems in southern Alberta. *Can. J. of Plant Sci.* 74:79-86.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Larney, F.J., Lindwall, C.W., and M.S. Bullock. 1994. Fallow management and overwinter effects on wind erodibility in southern Alberta. *Soil Sci. Soc. Amer. J.* 58:1788-1794.

Larney, F.J., Bullock, M.S., McGinn, S.M., and Fryrear, D.W. 1995. Quantifying wind erosion on summerfallow in southern Alberta. *J. Soil and Water Conserv.* 50: 91-95.

Larney, F.J. and C.W. Lindwall. 1995. Rotation and tillage effects on available soil water for winter wheat in a semi-arid environment. *Soil Tillage Res.* 36:111-127.

Larney, F.J., Izaurrealde, R.C., Janzen, H.H., Olson, B.M., Solberg, E.D., Lindwall, C.W., and M. Nyborg. 1995. Soil erosion-crop productivity relationships for six Alberta soils. *J. Soil Water Conserv.* 50:87-91.

Larney, F.J., Bremer, E., Janzen, H.H., Johnston, A.M., and C.W. Lindwall. 1997. Changes in total, mineralizable and light fraction soil organic matter with cropping and tillage intensities in semiarid southern Alberta, Canada. *Soil Tillage Research* 42:229-240.

Larney, F.J., Janzen, H.H., Olson, B.M., and C.W. Lindwall. 2000. Soil quality and productivity responses to simulated erosion and restorative amendments. *Can. J. Soil Sci.* 80:515-522.

Larney, F.J., Olson, B.M., Janzen, H.H., and C.W. Lindwall. 2000. Early impact of topsoil removal and soil amendments on crop productivity. *Agron. J.* 92:948-956.

Larney, F.J., Ren, T., McGinn, S.M., Lindwall, C.W., and R.C. Izaurrealde. 2003. The influence of rotation, tillage and row spacing on near-surface soil temperature for winter wheat in southern Alberta. *Can. J. Soil Sci.* 83:89-98.

Larson, R.L., Hill, A.L., Fenwick, A.L., Kniss, A., Hanson, L.E., Miller, S. 2006. Influence of glyphosate on rhizoctonia and fusarium root rot in sugar beet. *Pest Management Science* 62:1182-1192 (2006); DOI: 10.1002/ps.1297

Lemke, R.C.; Izaurrealde, M. Nyborg; and E.D. Solberg. 1999. Tillage and N-source influence soil-emitted nitrous oxide in the Alberta Parkland region. *Can. J. Soil Sci.* 79:15-24.

Lemke, R.C.; Smith, W.; Kaharabata, S.; Desjardins, R.L. and R. Grant. 2001. Assessing the nitrous oxide trade-offs to carbon sequestering management practices. Final Report, Climate Change Action Fund, December, 2001.

Lemke, R.C. 2003. No-till, carbon sequestration and nitrous oxide emissions. *In: Proceedings; Reduced Tillage Linkages; Direct Seeding Advantage 2003.* Nisku, Alberta. Pp: 54-60.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Lemke, R.L. and Janzen, H.H. 2007. Implications of increasing the soil carbon store: calculating the net greenhouse gas balance of no-till farming, *In* Reay, D., Hewitt, N., Grace, J., and K. Smith. (eds.) - Greenhouse Gas Sinks, CAB International, Wallingford, UK.

Lemke, R.L., Zhong, Z., Campbell, C.A. and R.P. Zentner. 2007. Can pulse crops play a role in mitigating greenhouse gases from North American agriculture? *Agron. J.* 99:1719-1725.

Liang, B., McConkey, B.G., Schoenau, J., Curtin, D., Campbell, C.A., Moulin, A.P., Lafond, G.P., Brandt, S.A. and Wang, H. 2003. Effect of tillage and crop rotations on the light fraction organic carbon and carbon mineralization in Chernozemic soils of Saskatchewan. *Can. J. Soil Sci.* 83:65-72.

Lindwall, C.W. and D.T. Anderson. 1977. Effects of different seeding machines on spring wheat production under various conditions of stubble residue and soil compaction in no-till rotations. *Can. J. Soil Sci.* 57:81-91.

Lindwall C.W. 1978. Minimum tillage research in southern Alberta. Pp. 36-43 *In* Proceedings of Work-Planning Meeting, Minimum Tillage Problems under Western Conditions, Saskatoon, SK.

Lindwall C.W. 1978. Minimum tillage to conserve energy. *In* Proceedings of the Annual Seminar on Future Energy Requirements on Ranches and Farms, Alberta Institute of Agrolgists, Calgary, AB.

Lindwall C.W. 1979. Minimum tillage activities, Research Branch, Agriculture Canada. Report to Western Canada Minimum Tillage Committee, Regina, SK.

Lindwall C.W. 1980. Minimum tillage: An overview, 1980. Paper No. 80-308. 60th Annual Conference AIC-CSAE, University of Alberta, Edmonton, AB.

Lindwall C.W. 1980. Seeding equipment for zero tillage. 1980 Manitoba-North Dakota Zero Tillage Workshop, Manitoba Department of Agriculture, Brandon, MB, Feb 25-26, 1980.

Lindwall, C.W. and D.T. Anderson. 1981. Agronomic evaluation of minimum tillage systems for summerfallow in southern Alberta. *Can. J. Plant Sci.* 61:247-253.

Lindwall C.W. 1986. Tillage, seeding, and fertilizer placement studies - Lethbridge Research Station. Pp. 57-60 *In* Proceedings of Work-Planning Meeting on Tillage and Rotations, Regina, SK.

Lindwall C.W. 1989. Furrow openers for seed and fertilizer placement in minimum tillage systems. Final Report, Project 87-0014 (Vol. I), Farming for the Future, Alberta Agriculture, Edmonton, AB. 72 pp.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Lindwall, C.W. and D.E. Schaaf . 1990. Crop residue management for soil and water conservation - The place for air seeders. *In* Proceedings of the Air Seeding '90 - An International Conference on Airseeding Technology, University of Saskatchewan, Saskatoon, SK, Jun 19-21, 1990.

Lindwall, C.W., Larney, F.J., Johnston, A.M. and J.R. Moyer. 1994. Crop management in conservation systems. Pp. 185-209 *In* Unger P.W. (ed). Managing Agricultural Residues, Lewis Publishers, CRC Press Inc, Boca Raton, FL.

Lindwall, C.W., Larney, F.J., and J.M. Carefoot. 1995. Rotation, tillage and seeder effects on winter wheat performance and soil moisture regime. *Can. J. Soil Sci.* 75:109-116.

Lindwall, W. McConkey, B., Campbell, C. and Lafond, G. 2000. 20 Years of Conservation Tillage "What have we learned?" Alberta Conservation Tillage Society. Web page:<http://www.reducedtillage.ca/20yearsct.pdf>

Lindwall C.W. 2006. 30 years of conservation tillage on the Canadian Prairies – What have we learned? Pp. 8-38 *In* Proceedings of the China-Canada Conservation Agriculture Forum. Department of Agricultural Mechanization Management, Ministry of Agriculture. China-Canada Sustainable Agriculture Development Project, Beijing, China, Sep 20-22, 2006.

Lobb, D.A., Lindstrom, M.J. and Schumacher, T.E. 2003. Soil erosion processes and their interactions: Implications for Environmental Indicators, OECD Workshop on soil erosion and biodiversity indicators, Rome, Italy.

Lokemoen, J. T. and J. A. Beiser. 1997. Bird use and nesting in conventional, minimum-tillage, and organic cropland. *J. Wildlife Management.* 61:644-655.

Lupwayi, N.Z., Rice, W.A. and Clayton, G.W. 1999. Soil microbial biomass and carbon dioxide flux number under wheat as influenced by tillage and crop rotation. *Can. J. Soil Sci.* 79: 273-280.

Lupwayi, N.Z., Turkington, T. K., Soon Y. K., Harker, K.N., Clayton, G.W., and O'Donovan, J.T. 2006. Nitrogen release during decomposition of crop residues under conventional and no-till. *Can. J. Soil Sci.* 86: 11-19.

Lupwayi, N.Z., Clayton, G.W., O'Donovan, J.T., Harker, K.N., Turkington, T.K., and Y.K. Soon. 2007. Phosphorus release during decomposition of crop residues under conventional and zero tillage. *Soil & Tillage Research*, 95:231-239.

Lupwayi, N.Z., Hanson, K.G., Harker, K.N., Clayton, G.W., Blackshaw, R.E., O'Donovan, J.T., Johnson, E.N., Gan, Y.T., Irvine, R.B., and M.A. Monreal. 2007. Soil microbial biomass, functional diversity and enzyme activity in glyphosate-resistant wheat-canola rotations under low-disturbance direct seeding and conventional tillage. *Soil Biol. & Biochem.* 39:1418-1427.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Malhi, S.S., Mumei, G., O'Sullivan, P.A., and K.N. Harker. 1988. An economic comparison of barley production under zero and conventional tillage. *Soil and Tillage Res.* 11:159-166.

Malhi, S.S., McAndrew, D.W., and Carter, M.R. 1992. Effect of tillage and N fertilization of a Solonchic soil on barley production and some soil properties. *Soil Tillage Res.* 22: 95-107.

Malhi, S.S. and R.L. Lemke. 2007. Tillage, crop residue and N fertilizer effects on crop yield, nutrient uptake, soil quality and nitrous oxide gas emissions in a second 4-yr rotation cycle. *Soil & Tillage Research*, 96: 269-283.

Malhi, S.S., Lemke, R., Mooleki, S.P., Schoenau, J.J., Brandt, S.A., Lafond, G., Wang, H., Hultgreen, G.E. and May, W.E. 2008. Fertilizer N management and P placement effects on yield, seed protein content and N uptake of flax under varied conditions in Saskatchewan. *Can. J. Plant Sci.* 88:11-33.

Major, D.J., Larney, F.J., Brisco, B., Lindwall, C.W., and R.J. Brown. 1993. Tillage effects on radar backscatter in southern Alberta. *Can. J. Remote Sens.* 19:170-176.

Martin, P. A. and Forsyth, D. J. 2002. Occurrence and productivity songbirds in prairie farmland under conventional versus minimum tillage regimes. *Agriculture, Ecosystem and Environment*. Vol. 96:107-117.

May, W.E., Fernandez, M.R., Holzapfel, C.B. and Lafond, G.P. 2008. Influence of nitrogen, phosphorus and potassium chloride placement and rate on durum wheat yield and quality. *Agron. J.* 100:1173-1179.

McCalla, T. M., and T.J. Army. 1961. Stubble mulch farming. *Adv. Agron.*13:125-196. *In* A.G. Norman (ed.) Academic Press, Inc. New York.

McConkey, B.M., Brandt S. A, Lafond, G., Johnston, A. M., and D.A. Derksen. 2002. Economics of crop diversification and soil tillage opportunities in the Canadian Prairies. *Agron. J.* 94:216-230

McConkey, B.M., Liang, B.C., Campbell, C.A., Curtin, D., Moulin, A., Brandt, S.A., and G.P. Lafond. 2003. Crop rotation and tillage impact on carbon sequestration in Canadian prairie soils. *Soil Tillage Res.* 74: 81-90.

McNairn, H., Champagne, C., Shang, J., Holmstrom, D.A., and Reichert, G. 2009. Integration of optical and Synthetic Aperture Radar (SAR) imagery for delivering operational annual crop inventories, *ISPRS Journal of Photogrammetry and Remote Sensing*, 64:434-449.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding

McNairn, H., Shang, J., Jiao, X., and C. Champagne. 2009. The contribution of ALOS PALSAR multi-polarization and polarimetric data to crop classification, *IEEE Geoscience and Remote Sensing Letters*, 47: 3981-3992.

McRae, T., C.A.S. Smith and L.J. Gregorich (ed.). 2000. Environmental sustainability of Canadian agriculture: Report of the Agri-Environmental Indicator Project. Agriculture and Agri-Food Canada, Ottawa, Ont.

McGinn, S.M., Grace, B., and C.W. Lindwall. 1994. Tillage-stubble effects on overwinter moisture conservation in the semi-arid, chinook-dominated area of southern Alberta. *Soil and Tillage Res.* 29:59-70.

Miller, J.D., Culley, J., Fraser, K., Hubbard, S., Meloche, F., Ouellet, T., Seaman, W.L., Turkington, K., and Voldeng, H. 1998. Effect of tillage practice on fusarium head blight of wheat. *Can. J. Plant Pathol.* 20:95-103.

Miller, J.J., Foroud, N., Hill, B.D., and C.W. Lindwall. 1995. Herbicides in surface runoff and groundwater under surface irrigation in southern Alberta. *Can. J. of Soil Sci.* 75:145-148.

Miller, J.J., Hill, B.D., Chang, C., and C.W. Lindwall. 1995. Residue detections in soil and shallow groundwater after long-term herbicide application in southern Alberta. *Can. J. of Soil Sci.* 75:349-356.

Miller, J.J., Larney, F.J., and C.W. Lindwall. 1999. Physical properties of a chernozemic clay loam soil under long-term conventional tillage and no-till. *Can. J. Soil Sci.* 79:325-331.

Monreal, C.M., R.P. Zentner, and J.A. Robertson. 1995. The influence of management on soil loss and yield of wheat in Chernozemic and Luvisolic soils. *Can. J. Soil Sci.* 75: 567-674.

Moyer, J.R. and C.W. Lindwall. 1985. Persistence and availability of paraquat in a Lethbridge clay loam soil. *Canadian Journal of Soil Science* 65:523-529.

Moyer, J.R., Roman, E.S., Lindwall, C.W., and R.E. Blackshaw . 1993. Weed management in conservation tillage systems for wheat production in North and South America. *Crop Prot.* 13:243-259.

Moyer, J. R., Roman, E.S.; Lindwall, C.W. and R.E. Blackshaw. 1994. Weed management in conservation tillage systems for wheat production in North and South America. *Crop Protect.* 13:243-259.

Neave, P. and E. Neave, E. 1998. Agro-ecosystem biodiversity indicators – habitat components: review and assessment of concepts and indicators of wildlife and

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



habitat availability in agriculture landscape –concept paper. Agri-Environmental Indicators Project. Agriculture and Agri-Food Canada, Regina,SK,Canada.

Nolan, S.C., Van Vliet, L.J.P., Goddard, T.W., and Flesch, T.K. 1997. Estimating soil loss from rainstorms. *Can. J. Soil Sci.* 77: 669-676.

Nuttall, W.F., Bowers, K.E., and Campbell, C.A. 1986. Crop residue management practices and N and P fertilizer effects on the crop response and on some physical and chemical properties of a black Chernozem over 25 years in a continuous wheat rotation. *Can. J. Soil Sci.* 66:159.

Nyborg, M., E.D. Solberg, R.C. Izaurrealde, S.S. Malhi, and M. Molina-Ayala. 1995. Influence of long-term tillage, straw and N fertilizer on barley yield, plant N uptake and on the soil-N balance. *Soil Tillage Res.* 36: 301-310.

Nyborg, M. E.D. Solberg, S.S. Malhi, and R.C. Izaurrealde. 1995. Fertilizer N, crop residue, and tillage alter soil C and N contents after a decade. Pp. 93-100 *In* R. Lal, J. Kimble, E. Levine, and B.A. Stewart (eds.). *Advances in Soil Science: Soil Management and Greenhouse Effect*. Lewis Publishers, CRC Press. Boca Raton, FL.

O'Donovan, J. T. and D. McAndrew. 2000. Effect of tillage on weed populations in continuous barley (*Hordeum vulgare*). *Weed Tech.* 14:726-733.

O'Donovan, J.T., Blackshaw, R.E., Harker, K.N., Clayton, G.W., Turkington, T.K., Moyer, J.R., Dossall, L.M., and D.C.Maurice. 2007. Integrated approaches to managing weeds in spring-sown crops in western Canada. *Crop Prot.* 26:390-398.

O'Donovan, J.T.Harker, K.N., Clayton, G.W., Hall, L.M., Cathcart, J., Sapsford, K.L., Holm, F.A., and K. Hacault. 2007. Volunteer barley interference in spring wheat grown in a zero-tillage system. *Weed Sci.* 55:70-74.

O'Donovan, J.T., Clayton, G.W., Harker, K.N., Turkington, T.K., and Lupwayi, N.Z. 2009. Relationship between seeding rate and plant density of hulled and hull-less barley as influenced by seeding depth in a no-tillage system. *Can. J. of Plant Sci.* 89:645-647.

Olson, B.M. and C.W. Lindwall. 1991. Soil microbial activity under chemical fallow conditions: Effects of 2,4-D and glyphosate. *Soil Biol. and Biochem.* 23:1071-1075.

Padbury, G.A., and Stushnoff, C. 2000. Risk of wind erosion. In: McRae, t, Smith, S., and Gregorich, L.J. (Eds.), *Environmental Health of Canadian Agroecosystems*, Agriculture and Agri-Food Canada, Ottawa. Pp. 69–76.

Parmelee, R.W., Beare, M.H., Cheng, W., Hendrix,P.F., Rider, S.J, Crossley Jr. D.A., and Coleman, C. 1990. Earthworms and enchytraeids in conventional and no-tillage

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



agroecosystems: A biocide approach to assess their role in organic matter breakdown. *Biology and Fertility of Soils* 10:1-10.

Paul, E. A., Collins, H. P., Paustian, K., Elliott, E. T., Frey, S., Juma, N., Janzen, H., Campbell, C. A., Zentner, R. P., Lafond, G. P., and A.P. Moulin. 1984. Management effects on the dynamics and storage rates of organic matter in long-term crop rotations. *Can. J. Soil Sci.* 84:49-61.

Pennock, D.J. 2003. Multi-site assessment of cultivation-induced soil change using revised landform segmentation procedures. *Can. J. Soil Sci.* 83:565-580.

Pennock, D.J., Yates, T.T. and J.T. Braidek. 2006. Towards optimum sampling for regional-scale N₂O emission monitoring in Canada. *Can. J. Soil Sci.* 86:441-450.

Phillips, R.E., R.L. Blevins, G.W. Thomas, W.W. Frye, and S.H. Phillips. 1980. No-tillage agriculture. *Science* 208:1108-1113.

Pollard, F., S. R. Moss, G. W. Cussans, and R.J. Froud-Williams. 1982. The influence of tillage on the weed flora in a succession of winter wheat crops on a clay loam soil and a silt loam soil. *Weed Res.* 22:129-136.

Ren, T., Larney, F.J., McGinn, S.M., Lindwall, C.W., and R.C. Izaurrealde. 2002. Soil temperature regimes as influenced by rotation, tillage and row spacing for winter wheat. *Trans. Chinese Soc. Agric. Engineering* 18(5):52-60.

Rennie, D.A. 1986. Soil degradation: a western perspective. *Can. J. Agric. Econ., Proc. Issue* 33:19-29.

Richardson, C.W. and K.W. King. 1995. Erosion and nutrient losses from zero tillage on a clay soil. *Jour. of Agr. Eng. Res. Vol. 61 (2):* 81-86.

Riemersma, S., Little, J., Ontkean, G., and Moskal-Hébert, T. 2006. Phosphorus sources and sinks in watersheds: A review. *In* Alberta soil phosphorus limits project. Volume 5: Background information and reviews. Lethbridge, Alberta, Canada: Alberta Agriculture, Food and Rural Development.

Rochette, P. 2008. No-till only increases N₂O emissions in poorly-aerated soils. *Soil Tillage Res.*100:97-100.

Rochette, P., Angers, D.A., Chantigny, M.H., and Bertrand, N. 2008. Nitrous oxide emissions respond differently to no-till in a loam and a heavy clay soil. *Soil Sci. Soc. Amer. J.* 72:1363-1369.

Rochette, P., Worth, D.E., Lemke, R.L., McConkey, B.G., Pennock, D.J., Wagner Riddle, C., Desjardins, R.L. 2008. Estimation of N₂O emissions from agricultural

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



soils in Canada. I. Development of a country specific methodology. *Can. J. Soil Sci.* 88:641-654.

Rochette, P., Worth, D.E., Huffman, E.C., Brierley, J.A., McConkey, B.G., Yang, J.Y., Hutchinson, J.J., Desjardins, R.L., Lemke, R.L., and Gameda, S.B. 2008. Estimation of N₂O emissions from agricultural soils in Canada. II. 1990-2005 inventory. *Can. J. Soil Sci.* 88:655-659.

Rochette, P., Angers, D.A., Chantigny, M.H., MacDonald, J.D., Bissonnette, N., and Bertrand, N. 2009. Ammonia volatilization following surface application of urea to tilled and no-till soils: A laboratory comparison. *Soil Tillage Res.* 103:310-315.

Rochette, P., Angers, D.A., Chantigny, M.H., MacDonald, J.D., Gasser, M.-O., and Bertrand, N. 2009. Reducing ammonia volatilization in a no-till soil by incorporating urea and pig slurry in shallow bands. *Nutrient Cycling in Agroecosystems*, 84:71-80.

Rochette, P., MacDonald, J.D., Angers, D.A., Chantigny, M.H., Gasser, M.-O., and Bertrand, N. 2009. Banding of urea increased ammonia volatilization in a dry acidic soil. *J. Env. Qual.* 38:1383-1390.

Rothrock, C.S. 1992. Tillage systems and plant disease. *Soil Sci.* 154:308-315.

Rovira, A. D. and N. R. Venn. 1985. Effect of rotation and tillage on take-all and *Rhizoctonia* root rot in wheat. C. A. Parker, A. D. Rovira, K. J. Moore, P. W. T. Wong, and J. F. Kollmorgen. (eds.) *Ecology and management of soil-borne plant pathogens*. Pp. 255-258. APS, St. Paul, MN.

Runyon, J. B., Morrill, W. L., Weaver, D. K. and Miller, P. R. 2002. Parasitism of the wheat stem sawfly (*Hymenoptera: Cephidae*) by *Bracon cephi* and *B. lissogaster* (*Hymenoptera: Braconidae*) in wheat fields bordering tilled and untilled fallow in Montana. *J. Econ. Entomol.* 95:1130-1134.

Sanogo, S., Yang, X., and H. Scherm. 2000. Effects of herbicides on *Fusarium solani* f. sp. *glycines*. and development of sudden death syndrome, in glyphosate-tolerant soybean. *Phytopathology*, 90:57-66.

dos Santos, H.P., Zentner, R.P., Selles, F. and Ambrosi, I. 1993. Effect of crop rotation on yields, soil characteristics and economic returns of zero-till barley in southern Brazil. *Soil Tillage Res.* 28:141-158.

Sauvé, J. L. 2000. A preliminary assessment of carbon dioxide and nitrous oxide emissions from agricultural soils in Alberta. July, 2000. Edmonton AB, AAFRD. Soil Quality Monitoring Program.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Schaaf, D.E., Hann, S., and C.W. Lindwall. 1980. The development of a data base for seed drill furrow openers, coulters, and press wheels. *In* Proceedings of the National Conference on Crop Production with Conservation in the 80's, ASAE Winter meeting, Chicago, IL.

Schertz, D. L. 1988. Conservation tillage: An analysis of acreage projections in the United States, *J. Soil Water Conserv.*, 43, 256.

Schoenau, J.J. 1995. Moving to no-till: Nutrient cycling implications. pp. 200-206, *In* Proc. Western Canada Agronomy Workshop, Red Deer, AB.

Schoenau, J., and Campbell, C.A., 1996. Impact of crop residues on nutrient availability in conservation tillage systems. *Can. J. Plant Sci.* 76:621–626.

Schiermeier, Q. 2008. A long dry summer. *Nature* 452:270-273.

Science Council of Canada, 1986. A Growing Canadian Concern: Soil Degradation in Canada. Ottawa. Science Council of Canada.

Scurlock, J.M. and D.O. Hall. 1998. The global carbon sink: A grassland perspective. *Global Change Biology* 4:229-233.

Selles, F., Karamanos, R.E. and Bowren, K.E. 1984. Changes in natural ¹⁵N abundance of soils associated with tillage practices. *Can. J. Soil Sci.* 64: 345-354.

Selles, F., Grant, C.A., Johnston, A.M. 2002. Conservation tillage effects on soil phosphorus distribution. *Better Crops*. Vol. 86 :1-6.

Shang, J., McNairn, H., Champagne, C., Jiao, X., and Geng, X. 2009. Integration of RadarSAT-2 ScanSAR and AWiFS for operational agricultural land use monitoring over the Canadian Prairies. 2009 IEEE International Geoscience & Remote Sensing Symposium (IGARSS 2009), Capetown, South Africa, July 12-17, 2009.

Shelton, I.J., Wall, G.J., Cossette, J.M., Eilers, R.G., Grant, B.A., King, D.J., Padbury, G.A., Rees, H.W., Tajek, J., and van Vliet, L.P.J. 2000. Risk of water erosion. *In*: T. McRae, S. Smith and L.J. Gregorich, (Eds.), *Environmental Health of Canadian Agroecosystems*, AAFC, Ottawa. Pp. 59–67.

Shutler, D, Mullie, A., and Clark. R. G. 2000. Bird communities of prairie uplands and wetlands in relation to farming practices in Saskatchewan. *Conservation Biology*, 14:1441-1451.

Smika, D.E. 1970. Summerfallow for dryland wheat in the semiarid Great Plains. *Agron. J.* 62: 15-17.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Smith, A.M., Major, D.J., Lindwall, C.W., and R.J. Brown. 1995. Multi-temporal, multi-sensor remote sensing for monitoring soil conservation farming. *Can. J. Remote Sensing* 21:177-184.

Smith, E.G., Peters, T.L., Blackshaw, R.E., Lindwall, C.W., and F.J. Larney. 1996. Economics of reduced tillage fallow-crop systems in the Dark Brown soil zone of Alberta. *Can. J. Soil Sci.* 76:411-416.

Smith, E.G., Lindwall, C.W., Green, M., and C.K. Pavlik. 1997. PARMS: A decision support system for planting and residue management. *Computers and Electronics in Agriculture* 16:219-229.

Smith, E.G., Zentner, R.P., Nagy, C.N., Khakbazan, M., and Lafond, G.P. 2008. Decoding your fuel bill: What is your farm's real energy bill? *Prairie Soils and Crops: Scientific Perspectives for Innovative Management.*, *Prairie Soils and Crops: Scientific Perspectives for Innovative Management (E-journal)*, 1(Article 5). (Available online)

Smith, P. D., Martino, Z., Cai , et al. 2008. Greenhouse gas mitigation in agriculture. *Phil. Trans. R.Soc. B* 363:789-813.

Smith, W.N., Grant, B.B., Desjardins, R.L., Qian, B., Hutchinson, J.J., and Gameda, S.B. 2009. Potential impact of climate change on carbon in agricultural soils in Canada, 2000-2009. *Climatic Change*, 93:319-333.

Smith, W.N., Desjardins, R.L., and Grant, B.B. 2009. Some perspectives on agricultural GHG mitigation and adaptation strategies with respect to the impact of climate change/variability in vulnerable areas. *Idojárás (1905)*, 113(1-2), pp. 103-115.

Smith, W.N., Grant, B.B., Desjardins, R.L., Worth, D.E., Li, C., Boles, S.H., and E.C. Huffman. 2010. A tool to link agricultural activity data with the DNDC model to estimate GHG emission factors in Canada. *Agriculture, Ecosystems and Environment*. DOI: 10.1016/j.agee.2009.12.008 (Available online)

Sparrow, H.O., 1984. "Soil at Risk". Report of the Standing Committee on Agriculture, Fisheries, and Forestry. Ottawa, Supply and Services Canada.

Sprague, M.A. 1952. The substitution of chemicals for tillage in pasture renovation. *Agron. J.* 44:405-409.

Staple, W. J., Lehane, J. J., and Wenhardt, A., 1960. Conservation of soil moisture from fall and winter precipitation. *Can. J. Soil Sci.* 40:80-88.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Statistics Canada 2006. Table 1.8. Agriculture overview, Canada and the provinces - Tillage practices used to prepare land for seeding, census years 2006 and 2001. <http://www.statcan.gc.ca/pub/95-629-x/1/4182391-eng.htm>

Statistics Canada. 2007. Selected Historical Data from the Census of Agriculture. Table 5.1. WebPage: <http://www.statcan.gc.ca/pub/95-632-x/2007000/t/4129758-eng.htm>.

Stobbe, E. H. 1979. Tillage practices on the Canadian prairies, *Outlook Agric.*, 10, 21.

Sullivan D. S., and Sullivan T. P., 2000. Non-target impacts of the herbicide glyphosate: A compendium of references and abstracts. 5th Edit.. Applied Mammal Research Institute, Summerland, B.C.

Tanaka, D. L. 1989. Spring wheat plant parameters as affected by fallow methods in the Northern Great Plains, *Soil Sci. Soc. Am. J.*, 53, 1506.

Tesfamariam, R., Bott, S., Cakmak, I., Römheld, V. and G. Neumann. 2009. Glyphosate in the rhizosphere-Role of waiting times and different glyphosate binding forms in soils for phytotoxicity to non-target plants. *Europ. J. Agron.* 31:126-132.

Tessier, S., Peru, M., Dyck, F. B., Zentner, R. P., and Campbell, C. A. 1990. Conservation tillage for spring wheat production in semi-arid Saskatchewan, *Soil Tillage Res.*, 18, 73.

Thomas, G; Derksen, D.A.; Blackshaw R.E.; Van Acker, R.C.; Légère, A.; Watson, P.R. and Turnbull, G.C. 2004. A multistudy approach to understanding weed population shifts in medium- to long-term tillage systems. *Weed Sci.* 52:874-880.

Thorne, M.E., Young, F.L., and J.P. Yenish. 2002. Cropping systems alter weed seed bank in Pacific Northwest, USA semi-arid wheat region. *Crop Prot. Jour.* 26: 1108-1120.

Triplett, G.B., Jr., and G.D. Lytle. 1972. Control and ecology of weeds in continuous corn grown without tillage. *Weed Sci.* 20:453-457.

Triplett, G.B., Jr., Johnson, W.H. and D.M. Van Doren Jr. 1963. Performance of two experimental planters for no-tillage corn culture. *Agron. J.* 55:408-409.

Triplett, Jr. G.B. and W.A. Dick. 2008. No-tillage crop production: A revolution in Agriculture! *Agron. J.* 100:S-153 – S165. DOI:10.2134/agronj2007.0005c.

Turkington, T.K., Clayton, G.W., Klein-Gebbinck and D.L. Woods, D. 2000. Residue decomposition and blackleg of canola: Influence of tillage practices. *Can. J. Plant Pathol.* 22: 150-154.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Turnock, W. J., Timlick, B., and P. Palaniswamy. 1993. Species and abundance of cutworms (*Noctuidae*) and their parasitoids in conservation and conventional tillage fields. *Agriculture, Ecosystem and Environment* 45: 213-227.

Unger, P.W., and McCalla, T.M. 1980. Conservation tillage. *Advances in Agronomy* Vol: 33: 1-53.

Uri, N. D. 1999. Conservation Tillage in U.S. Agriculture. Environmental, Economic, and Policy Issues. The Haworth Press Inc.

U.S. EPA (1993). Re-registration Eligibility Decision: Glyphosate. U.S. Environmental Protection Agency.
http://www.epa.gov/oppsrrd1/REDs/old_reds/glyphosate.pdf

VandenBygaart, A. J., Gregorich, E. G. and Angers, D. A. 2003. Influence of agricultural management on soil organic carbon: A compendium and assessment of Canadian studies. *Can. J. Soil Sci.* 83: 363–380.

Vander Pluym, H. and C.W. Lindwall. 1978. Zero-till cereal production in Alberta. *In* Managing agricultural technology for profit, Alberta Agriculture, Edmonton, AB.

van Vliet, L.P.J., Kline, R., Hall, J.W. 1993. Effects of three tillage treatments on seasonal runoff and soil loss in the Peace River region. *Can J. Soil Sci.* 73:469-480.

Wall, G.J., Pringle, E.A., Padbury, G.A., Rees, H.W., Tajek, J., van Vliet, L.P.J., Stushnoff, C., Eilers, R.G., and Cosette, J.,M. 1995. Erosion. *In*: Acton, D.F., and Gregorich, L.P.J. (eds.), *The Health of Our Soils*. Ottawa, Supply and Services Canada. Pp. 61-76.

Walley, F, G.P. Lafond, A. Matus and C. Van Kessel. 1999. Water-use efficiency and carbon isotopic composition in reduced tillage systems. *Soil Sci. Soc. Am. J.* 63:356-361.

Warburton, D.B. and W.D. Klimstra. 1984. Wildlife use of no-till and conventionally tilled corn fields. *J. Soil Water Conserv.* 39:327-330.

Weersink, A., Walker, M., Swanton, C., and Shaw, J. E. 1992. Costs of conventional and conservation tillage systems, *J. Soil and Water Cons.*, 47, 328.

Wiese, A. F. 1985. Weed control in limited-tillage systems. *Mongraph No. 2*. Champaign, IL: Weed Science Society of America. 297p.

Willis, W. O., and Amemiya, M., 1973. Tillage management principles: soil temperature effects, *In* Proc. Natl. Conserv. Tillage Conf., Des Moines, Iowa, 1973, 22.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Wright, A. T. 1990. General overview of conservation tillage, *In* Proc. Crop Management for Conservation, Lafond, G. P., and Fowler, D. B., (Eds.), Div. of Extension, University of Saskatchewan, Saskatoon, Saskatchewan, 1990, 5.

Wright, A. T. 1990. Yield effect of pulses on subsequent cereal crops in the northern prairies, *Can. J. Plant Sci.*, 70, 1023.

Zebarth, B.J., Drury, C.F., Tremblay, N. and A.N. Cambouris. 2009. Opportunities for improved fertilizer nitrogen management in production of arable crops in eastern Canada: A review. *Can. J. Soil Sci.* 89:113-132.

Zentner, R.P. and C.W. Lindwall. 1978. An economic assessment of zero tillage in wheat-fallow rotations in southern Alberta. *Can. Farm Econ.* 13:1-6.

Zentner, R.P. and C.W. Lindwall. 1982. Economic evaluation of minimum tillage systems for summerfallow in southern Alberta. *Can. J. Plant Sci.* 62:631-638.

Zentner, R. P., Campbell, D. W., Campbell, C. A., and Reid, D. W., Energy considerations of crop rotations in southwestern Saskatchewan, *Can. Agric. Eng.*, 26, 25, 1984.

Zentner, R. P., Campbell, C. A., Read, D. W. L., and Anderson, C. H., An economic evaluation of crop rotations in southwestern Saskatchewan, *Can. J. Agric. Econ.*, 32, 37, 1984.

Zentner, R.P., Lindwall, C.W. and J.M. Carefoot. 1988. Economics of rotations and tillage systems for winter wheat production in southern Alberta. *Can. Farm Econ.* 22: 3-13.

Zentner, R.P., Tessier, S., Peru, M., Dyck, F.B. and Campbell, C.A. 1991. Economics of tillage systems for spring wheat production in southwestern Saskatchewan (Canada). *Soil Tillage Res.* 21:225-242.

Zentner, R.P., Brandt, S.A., Kirkland, K.J., Campbell, C.A. and Sonntag, G.J. 1992. Economics of rotation and tillage systems for the Dark Brown soil zone of the Canadian Prairies. *Soil Tillage Res.* 24: 271-284.

Zentner, R.P., Selles, F., Campbell, C.A., Handford, K. and McConkey, B.G. 1992. Economics of fertilizer-N management for zero-till continuous spring wheat in the Brown soil zone. *Can. J. Plant Sci.* 72: 981-995.

Zentner, R.P., Dyck, F.B., Handford, K.R., Campbell, C.A. and Selles, F. 1993. Economics of flex-cropping in southwestern Saskatchewan. *Can. J. Plant Sci.* 73: 749-767.

Zentner, R.P., McConkey, B.G., Campbell, C.A., Dyck, F.B. and Selles, F. 1996. Economics of conservation tillage in the semiarid prairie. *Can. J. Plant Sci.* 76: 697-705.

Landscapes Transformed:

The History of Conservation Tillage and Direct Seeding



Zentner, R.P., McConkey, B.G., Stumborg, M.A., Campbell, C.A. and Selles, F. 1998. Energy performance of conservation tillage management for spring wheat production in the Brown soil zone. *Can. J. Plant Sci.* 78:553-563.

Zentner, R.P., Campbell, C.A., Biederbeck, V.O., Miller, P.R. and Selles, F. 2001. In search of a sustainable cropping system for the semiarid Canadian prairie. *J. Sustainable Agric.* 18:117-136.

Zentner, R.P., Lafond, G.P., Derksen, D.A. and Campbell, C.A. 2002. Tillage method and crop diversification: effect on economic returns and riskiness of cropping systems in a Thin Black Chernozem of the Canadian Prairies. *Soil Tillage Res.* 67: 9-21.

Zentner, R.P., Wall, D.D., Nagy, C.N., Smith, E.G., Young, D.L., Miller, P.R., Campbell, C.A., McConkey, B.G., Brandt, S.A., Lafond, G.P., Johnston, A.M. and Derksen, D.A. 2002. Economics of crop diversification and soil tillage opportunities in the Canadian Prairies. *Agron. J.* 94:216-230.

Zentner, R.P., Campbell, C.A., Biederbeck, V.O., Selles, F., Lemke, R., Jefferson, P.G. and Gan, Y. 2004. Long-term assessment of management of an annual legume green manure crop for fallow replacement in the Brown soil zone. *Can. J. Plant Sci.* 84:11-22.

Zentner, R.P., Lafond, G.P., Derksen, D.A., Nagy, C.N., Wall, D.D. and W.E. May. 2004. Effects of tillage method and crop rotations on non-renewable energy use efficiency for a thin Black Chernozem in the Canadian Prairies. *Soil Tillage Res.* 77:125-136.

Zentner, R.P., Campbell, C.A., Selles, F., Jefferson, P.G., Lemke, R., McConkey, B.G., Fernandez, M.R., Hamel, C., Gan, Y., and Thomas, A.G. 2006. Effect of fallow frequency, flexible rotations, legume green manure, and wheat class on the economics of wheat production in the Brown soil zone. *Can. J. Plant Sci.* 86:413-423.